



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB08500 - Goat Anti-NMNAT3 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: NMNAT3, nicotinamide nucleotide adenylyltransferase 3, PNAT-3, PNAT3, pyridine nucleotide adenylyltransferase 3

Official Symbol: NMNAT3

Accession Number(s): NP_835471.1; NP_001186976.1; NP_001307440.1; NP_001307442.1

Human GeneID(s): [349565](#)

Immunogen

Peptide with sequence C-GSTWKGKSTQSTE, from the C Terminus of the protein sequence according to NP_835471.1; NP_001186976.1; NP_001307440.1; NP_001307442.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Preliminary testing showed a band at approx 30kDa in Human Placenta and Spleen lysate, and approx. 28kDa in Human Bone Marrow lysate after 0.3-0.5µg/ml antibody staining (calculated MW of 28.3kDa according to NP_001307440.1). Primary incubation 1 hour at room temperature.

Flow Cytometry: A customer reported weak staining of HEK293 cells at a concentration of 10ug/ml.

Species Reactivity

Tested:

Expected from sequence similarity: Human