

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07441 - Goat Anti-NOTCH1 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** NOTCH1, Notch homolog 1, translocation-associated (Drosophila), TAN1, hN1, Notch (Drosophila) homolog 1 (translocation-associated), neurogenic locus notch homolog protein 1, notch1, translocation-associated notch protein TAN-1

Official Symbol: NOTCH1

Accession Number(s): NP\_060087.2

Human GeneID(s): 4851

#### **Immunogen**

Peptide with sequence C-DLKARRKKSQDGK, from the internal region of the protein sequence according to NP\_060087.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:64000.

**Immunofluorescence:** Strong expression of the protein seen in the nucleus of U2OS cells. Recommended concentration: 5µg/ml.

## **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human



EB07441 Immunofluorescence analysis of paraformaldehyde fixed U2OS cells, permeabilized with 0.15% Triton. Primary incubation 1hr (5ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml), showing nuclear staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (5ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml).