

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05064 - Goat Anti-ORC3L Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ORC3L, origin recognition complex, subunit 3-like (yeast), LAT, ORC3, LATHEO, IMAGE50150, origin recognition complex, subunit 3 (yeast homolog)-like, OTTHUMP00000040611, homolog of latheo, Drosophila, RP3-486L4.1, origin recognition complex, subunit 3

Official Symbol: ORC3

Accession Number(s): NP_862820.1; NP_036513.2; NP_001184188.1

Human GenelD(s): 23595

Important Comments: This antibody is expected to recognize reported isoforms

NP_862820.1, NP_036513.2 and NP_001184188.1.

Immunogen

Peptide with sequence QKTDHVARLTWGGC, from the C Terminus of the protein sequence according to NP_862820.1; NP_036513.2; NP_001184188.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 75kDa band observed in lysates of cell lines HepG2 and HeLa (calculated MW of 82.3kDa according to NP_862820.1 and NP_036513.2).

Recommended concentration: 1-3µg/ml. An additional band of unknown identity was also consistently observed at 35kDa. This band was successfully blocked by incubation with the immunising peptide.

IHC: Paraffin embedded Human Brain (Cortex). Recommended concentration: 3.75µg/ml.


Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow



EB05064 (2µg/ml) staining of Hela lysate (RIPA buffer, 1.4E5 cells per lane). Detected by chemiluminescence.



EB05064 (3.75 μ g/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.