

#### **UK Office**

**Everest Biotech Ltd** 

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08124 - Goat Anti-Orexin Receptor 2 Antibody

Size: 100µg specific antibody in 200µl



**Target Protein** 

Principal Names: OTTHUMP00000039969, hypocretin (orexin) receptor 2, HCRTR2,

OX2R, hypocretin receptor-2, orexin receptor 2

Official Symbol: HCRTR2

Accession Number(s): NP\_001517.1

Human GeneID(s): 3062

Non-Human GenelD(s): 25605 (rat)

#### **Immunogen**

Peptide with sequence SGTKLEDSPPCRN, from the N Terminus of the protein sequence according to NP\_001517.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 50kDa band observed in Human Brain (Hippocampus) lysates (calculated MW of 50.7kDa according to NP\_001517.1). Recommended concentration: 1-3μg/ml. Primary incubation was 1 hour.

#### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Dog, Pig, Cow

### **Specific Reference**

This antibody has been successfully used in ICC on Mouse:

Danlei Liu et al.

Lateral hypothalamus orexinergic projection to the medial prefrontal cortex modulates chronic stress-induced anhedonia but not anxiety and despair.

Transl Psychiatry. 2024 Mar 16;14(1):149.

PMID: 38493173

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa

15kDa

20kDa

EB08124 (1.5 $\mu$ g/ml) staining of Human Brain (Hippocampus) lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.