

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05269 - Goat Anti-PACSIN1 Antibody

Size: 100µg specific antibody in 200µl



#### **Target Protein**

Principal Names: PACSIN1, protein kinase C and casein kinase substrate in neurons 1,

KIAA1379, SDPI, syndapin I **Official Symbol:** PACSIN1

Accession Number(s): NP\_065855.1

Human GenelD(s): 29993

**Important Comments:** Reported variants represent identical protein (NP\_065855.1;

NP\_001186512.1).

### **Immunogen**

Peptide with sequence SSSYDEASLAPEET-C, from the N Terminus of the protein sequence according to NP\_065855.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 50kDa band observed in Human Brain (Hippocampus) lysates (calculated MW of 51.1kDa according to NP\_065855.1). Recommended concentration: 0.03-0.1µg/ml. An additional band of unknown identity was also consistently observed at 37kDa. This band was successfully blocked by incubation with the immunising peptide. IHC: Paraffin embedded Human Brain (Cortex and Cerebellum). Recommended

concentration: 2.5µg/ml.


**Species Reactivity** 

Tested: Human


Expected from sequence similarity: Human



EB05269 ( $1\mu g/ml$ ) staining of Hippocampus) lysate ( $35\mu g$  protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



EB05269 (2.5 $\mu$ g/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05269 (2.5 $\mu$ g/ml) staining of paraffin embedded Human Cerebellum. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.