

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05234 - Goat Anti-PPP2R5A Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: PPP2R5A, protein phosphatase 2, regulatory subunit B (B56), alpha isoform, MGC131915, PP2A, B subunit, B\1 alpha isoform, PP2A, B subunit, B56 alpha isoform, PP2A, B subunit, PR61 alpha isoform, PP2A, B subunit, R5 alpha isoform, serine/threonine protein phosphatase 2A, 56 kDa regulatory subunit, alpha isoform, protein phosphatase 2, regulatory subunit B\1, alpha isoform, B56A, MGC131915, PR61A

Official Symbol: PPP2R5A

Accession Number(s): NP_006234.1

Human GeneID(s): 5525

Immunogen

Peptide with sequence C-AYNMHSILSNTSAE, from the C Terminus of the protein sequence according to NP_006234.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.


Western blot: Approx 55kDa band observed in human heart and skeletal muscle lysate (calculated MW of 56.2kDa according to NP_006234.1). Recommended for use at 0.5-2µg/ml.

IHC: Paraffin embedded Human Heart and Brain (Cortex). Recommended concentration: 5µg/ml.


Species Reactivity

Tested: Human


Expected from sequence similarity: Human, Rat, Dog, Pig, Cow



EB05234 staining (0.5 μ g/ml) of human muscle lysate (RIPA buffer, 35 μ g total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.



EB05234 (5µg/ml) staining of paraffin embedded Human Heart. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05234 ($5\mu g/ml$) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.