



## International Office

### Everest Biotech Ltd

Vector Laboratories, Inc.  
6737 Mowry Ave  
Newark, CA 94560  
United States

Customer Service:

[customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Technical Service:

[technical@vectorlabs.com](mailto:technical@vectorlabs.com)

Tel: +1 (800) 227-6666

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB09070 - Goat Anti-PTMA Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** PTMA, prothymosin, alpha, MGC104802, TMSA, gene sequence 28, prothymosin alpha protein, prothymosin, alpha (gene sequence 28), region containing prothymosin, alpha (gene sequence 28), prothymosin, alpha (gene sequence 28), prothymosin, alpha (gene sequence 28), hypothetical protein MGC12250, prothymosin, alpha (gene sequence 28)

**Official Symbol:** PTMA

**Accession Number(s):** NP\_001092755.1; NP\_002814.3

**Human GeneID(s):** [5757](#)

**Non-Human GeneID(s):** 500448 (rat)

**Important Comments:** This antibody is expected to recognize both reported isoforms (NP\_001092755.1; NP\_002814.3).

### Immunogen

Peptide with sequence C-DVDTKKQKTDEDD, from the C Terminus of the protein sequence according to NP\_001092755.1; NP\_002814.3.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested


**Peptide ELISA:** antibody detection limit dilution 1:1000.

**IHC:** Paraffin embedded Human Spleen. Recommended concentration: 3.75µg/ml.

### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Rat, Dog



EB09070 (3.75µg/ml) staining of paraffin embedded Human Spleen. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.