

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB07869-B - Goat Anti-ribosomal protein L8, Biotinylated Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: RPL8, ribosomal protein L8, L8, 60S ribosomal protein L8

Official Symbol: RPL8

Accession Number(s): NP_000964.1

Human GeneID(s): 6132

Non-Human GenelD(s): 26961 (mouse), 26962 (rat)

Important Comments: Reported variants represent identical protein: NP_000964.1,

NP_150644.1, NP_001304700.1, NP_001304711.1

Immunogen

Peptide with sequence KAGRAYHKYKAKRNC., from the internal region of the protein sequence according to NP_000964.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 28kDa band observed in lysates of cell line HepG2 (calculated MW of 28.0kDa according to NP_000964.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.1-0.3µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog



Biotinylated EB07869 (0.3µg/ml) staining of HepG2 lysate (35µg protein in RIPA buffer), exactly mirroring its parental non-biotinylated product. Primary incubation was 1 hour. Detected by chemiluminescence, using streptavidin-HRP and using NAP blocker as a substitute for skimmed milk.