

### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB10931 - Goat Anti-TFB2M Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** TFB2M, transcription factor B2, mitochondrial, FLJ22661, FLJ23182, Hkp1, mtTFB2, HCV NS5A-transactivated protein 5, S-adenosylmethionine-6-N', N'-adenosyl(rRNA) dimethyltransferase 2, dimethyladenosine transferase 2,

mitochondrial, h-mtTFB2, hTFB

Official Symbol: TFB2M

Accession Number(s): NP\_071761.1

Human GeneID(s): 64216

### **Immunogen**

Peptide with sequence KHCFGRRSATVIDH, from the internal region of the protein sequence according to NP\_071761.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:64000.

**Western blot:** Approx 45kDa band observed in Human Lung lysates (calculated MW of 45.3kDa according to NP\_071761.1). Recommended concentration: 0.1-0.3μg/ml. Primary incubation was 1 hour.

IHC: Paraffin embedded Human Colon. Recommended concentration: 5µg/ml.

### **Species Reactivity**


Tested: Human

Expected from sequence similarity: Human

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

15kDa

EB10931 (0.1 $\mu$ g/ml) staining of Human Lung lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB10931 (5μg/ml) staining of paraffin embedded Human Colon. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.