

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05932 - Goat Anti-TRIM5 / RNF88 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: TRIM5, RNF88, tripartite motif-containing 5, TRIM5alpha, tripartite motif protein 5, tripartite motif protein TRIM5, OTTHUMP00000069812, tripartite motif protein TRIM, tripartite motif-containing protein 5 alpha

Official Symbol: TRIM5

Accession Number(s): NP_149023.1; NP_149083.1; NP_149084.1

Human GeneID(s): 85363

Important Comments: This antibody is expected to recognise all three human isoforms

of this protein.

Immunogen

Peptide with sequence ASGILVNVKEEVTC, from the N Terminus of the protein sequence according to NP_149023.1; NP_149083.1; NP_149084.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Approx 55 and 37kDa bands observed in Human Thymus lysates (calculated MW of 56.3kDa according to NP_149023.1 and of 37.7kDa according to NP_149084.1). Recommended concentration: 1-3μg/ml. Primary incubation was 1 hour.

IHC: Paraffin embedded Human Colon. Recommended concentration: 3µg/ml.

Species Reactivity


Tested: Human

Expected from sequence similarity: Human




15kDa

EB05932 (1.0μg/ml) staining of Human Thymus lysate (35μg protein in RIPA buffer) with (B) and without (A) blocking with the immunizing peptide. Detected by chemiluminescence.



EB05932 (3µg/ml) staining of paraffin embedded Human Colon. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB05932 Negative Control showing staining of paraffin embedded Human Colon, with no primary antibody.