

#### International Office

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08515 - Goat Anti-TRPV5 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** TRPV5, transient receptor potential cation channel, subfamily V, member 5, CAT2, ECAC1, OTRPC3, calcium transporter 2, epithelial calcium channel 1,

osm-9-like TRP channel 3
Official Symbol: TRPV5

Accession Number(s): NP\_062815.2

Human GeneID(s): 56302

Non-Human GenelD(s): 194352 (mouse), 116469 (rat)

### **Immunogen**

Peptide with sequence C-SHRGWEILRQNT, from the internal region of the protein sequence according to NP\_062815.2.

Please note the peptide is available for sale.

### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** Approx 85kDa band observed in Human Pancreas lysates (calculated MW of 82.6kDa according to NP\_062815.2). Recommended concentration: 1-3μg/ml. Primary incubation was 1 hour. This antibody has been successfully used in WB on Human: Kennedy BG et al. (2010) PMID: 20405023.

Immunocytochemsitry/Immunofluorescence: This antibody has been successfully used in ICC/IF on Human: Kennedy BG et al. (2010) PMID: 20405023. This antibody has been successfully used in ICC on Mouse: Mariana Labarca et al. (2015) PMID: 25810438. This antibody has been successfully used in ICC on Human: Tomilin VN et al. (2016) PMID: 26096460.

## **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow

#### **Specific References**

## This antibody has been successfully used in IF in Human:

Tomilin VN, Cherezova AL, Negulyaev YA, Semenova SB.

TRPV5/V6 Channels Mediate Ca(2+) Influx in Jurkat T Cells Under the Control of Extracellular pH. J Cell Biochem. 2016 Jan;117(1):197-206

PMID: 26096460

#### This antibody has been successfully used in ICC on Mouse:

Mariana Labarca, Jonathan M. Nizar, Elisabeth M. Walczak, Wuxing Dong, Alan C. Pao and Vivek Bhalla

Harvest and primary culture of the murine aldosterone-sensitive distal nephron Am J Physiol Renal Physiol. 2015 Jun 1; 308(11)

PMID: 25810438

## This antibody has been successfully used in WB and ICC in Human:

Kennedy BG, Torabi AJ, Kurzawa R, Echtenkamp SF, Mangini NJ.

Expression of transient receptor potential vanilloid channels TRPV5 and TRPV6 in retinal pigment epithelium.

Mol Vis. 2010 Apr 14;16:665-75.

PMID: 20405023

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB08515 (1 $\mu$ g/ml) staining of Human Pancreas lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.